

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	optical near inspection near machine near fastner	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 10:36
L2	0	optical near inspection near machine near fastner	US-PGPUB	OR	OFF	2005/09/23 10:36
L3	926	optical adj inspection	US-PGPUB	OR	OFF	2005/09/23 10:36
L4	52	fastner	US-PGPUB	OR	OFF	2005/09/23 10:37
L5	211182	reflect\$3	US-PGPUB	OR	OFF	2005/09/23 10:37
L6	0	(3 and 4 and 5)".clm"	US-PGPUB	OR	OFF	2005/09/23 10:37
L7	0	(3 and 4 and 5).clm.	US-PGPUB	OR	OFF	2005/09/23 10:37
S1	3837	(356/237.1, "237.2", "237.4", "237.5")".ccls"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:54
S2	1032	fastener\$1 near4 (inspect\$4 or detect\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:51
S3	5	S1 and S2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 13:52
S4	2309	delrin near2 plastic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 13:53
S5	5	S2 and S3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 13:53
S6	0	S2 and S4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 13:54
S7	2	S1 and S4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 13:54
S8	2	"2057927".PN.	USPAT; USOCR	OR	OFF	2005/06/16 11:57
S9	3	("6055329").URPN.	USPAT	OR	OFF	2005/06/16 12:19
S10	0	382/152.ccls	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 10:52
S11	469	(382/152)".ccls"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 10:53
S12	1033	fastener\$1 near4 (inspect\$4 or detect\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 10:53

S13	8	S11 and S12	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 10:53
S14	1033	fastener\$1 near4 (inspect\$4 or detect\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:44
S15	0	"209.ccls"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:45
S16	299170	("209").ccls"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:46
S17	0	(209/586,929,904,907,922,923,652,228,576)".ccls"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:50
S18	0	measure and(209/586,929,904,907,922,923,652,228,576)".ccls"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:50
S19	1245	(209/586,929,904,907,922,923,652,228,576).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:51
S20	2234	(209/586,929,904,907,922,923,652,228,576;198/577,690.1,381).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:51
S21	1033	fastener\$1 near4 (inspect\$4 or detect\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:52
S22	3255	S20 or S21	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:52
S23	12	S20 and S21	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:52
S24	3839	(356/237.1, "237.2", "237.4", "237.5").ccls"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:54
S25	6072	S20 or S24	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:55
S26	7088	S21 or S25	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 15:55
S27	17	S21 and S25	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/21 16:23
S29	716	("root mean square" near "RMS") with surface	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/21 16:25

S30	259	S29 and optic\$6 and refle\$8	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/21 16:30
S32	212	S30 and (color\$1 or size\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/21 16:31